


LD-556

Reducing Bushing Buje de Reducción

Male Socket (Spigot) X Socket
Encolar Macho (Espita) X Encolar




Unit / mm-kg

ASTM Inch	DIN d x d1(mm)	mm			Weight (kg/pc)			Pcs/Ctn	
		A	A1	B	Part Number	PVC	Part Number		CPVC
3/4" x 1/2"	25 x 20	32.0	23.0	30.0	556-034C	0.01	556-034CC	0.01	150
1" x 1/2"	32 x 20	35.0	23.0	38.0	556-100C	0.03	556-100CC	0.03	80
1" x 3/4"	32 x 25	35.0	26.0	38.0	556-100D	0.02	556-100CD	0.02	80
1-1/4" x 1/2"	40 x 20	40.0	23.0	46.0	556-114C	0.05	556-114CC	0.06	50
1-1/4" x 3/4"	40 x 25	40.0	26.0	46.0	556-114D	0.05	556-114CD	0.05	50
1-1/4" x 1"	40 x 32	40.0	29.0	46.0	556-114E	0.04	556-114CE	0.04	50
1-1/2" x 1/2"	50 x 20	43.0	23.0	53.0	556-112C	0.07	556-112CC	0.07	50
1-1/2" x 3/4"	50 x 25	43.0	26.0	53.0	556-112D	0.07	556-112CD	0.08	50
1-1/2" x 1"	50 x 32	43.0	29.0	53.0	556-112E	0.06	556-112CE	0.06	50
1-1/2" x 1-1/4"	50 x 40	43.0	32.0	53.0	556-112F	0.03	556-112CF	0.04	50
2" x 1/2"	63 x 20	50.0	23.0	66.0	556-200C	0.11	556-200CC	0.13	30
2" x 3/4"	63 x 25	50.0	26.0	66.0	556-200D	0.11	556-200CD	0.13	30
2" x 1"	63 x 32	50.0	29.0	66.0	556-200E	0.12	556-200CE	0.13	30
2" x 1-1/4"	63 x 40	50.0	32.0	66.0	556-200F	0.10	556-200CF	0.11	30
2" x 1-1/2"	63 x 50	50.0	35.0	66.0	556-200G	0.09	556-200CG	0.10	30
2-1/2" x 1-1/2"	75 x 50	55.0	35.0	78.0	556-212G	0.16	556-212CG	0.18	20
2-1/2" x 2"	75 x 63	55.0	39.0	78.0	556-212H	0.12	556-212CH	0.13	20
3" x 1"	90 x 32	58.0	29.0	94.0	556-300E	0.24	556-300CE	0.27	20
3" x 1-1/2"	90 x 50	58.0	35.0	94.0	556-300G	0.26	556-300CG	0.29	20
3" x 2"	90 x 63	58.0	39.0	94.0	556-300H	0.24	556-300CH	0.27	20
3" x 2-1/2"	90 x 75	58.0	45.0	94.0	556-300I	0.17	556-300CI	0.20	20
4" x 1"	110 x 32	70.0	29.0	120	556-400E	0.54	556-400CE	0.60	20
4" x 1-1/4"	110 x 40	70.0	32.0	120	556-400F	0.60	556-400CF	0.67	12
4" x 1-1/2"	110 x 50	70.0	35.0	120	556-400G	0.59	556-400CG	0.67	12
4" x 2"	110 x 63	70.0	39.0	120	556-400H	0.46	556-400CH	0.51	12
4" x 2-1/2"	110 x 75	70.0	45.0	120	556-400I	0.42	556-400CI	0.47	12
4" x 3"	110 x 90	70.0	48.0	120	556-400J	0.35	556-400CJ	0.39	12
6" x 3"	160 x 90	92.0	48.0	175	556-600J	1.12	556-600CJ	1.25	6
6" x 4"	160 x 110	92.0	58.0	175	556-600L	1.25	556-600CL	1.39	6
8" x 4"	200 225 x 110	120	58	230	556-800L	2.18	556-800CL	2.43	3
8" x 6"	200 225 x 160	120	77	230	556-800P	2.45	556-800CP	2.74	3
10" x 6"	250 280 x 160	160	77	285	556-1000P	4.18	556-1000CP	4.66	2
10" x 8"	250 280 x 225	160	102	285	556-1000S	4.64	556-1000CS	5.18	2
12" x 6"	315 x 160	174	78	340	556-1200P	7.26	556-1200CP	8.11	1
12" x 8"	315 x 200 225	174	103	340	556-1200S	7.57	556-1200CS	8.45	1
12" x 10"	315 x 250 280	174	140	340	556-1200T	6.61	556-1200CT	7.38	1

LD-557 Reducing Bushing with Female Thread Buje de Reducción con Rosca Hembra

Male Socket (Spigot) X Female Thread
Encolar Macho (Espita) x Rosca Hembra



Unit / mm-kg

ASTM Inch	DIN d x d1(mm)	mm			Weight (kg/pc)				Pcs/Ctn
		A	A1	B	Part Number	PVC	Part Number	CPVC	
3/4" x 1/2"	25 x 20	32.0	23.0	30.0	557-034C	0.01	557-034CC	0.01	150
1" x 1/2"	32 x 20	35.0	23.0	38.0	557-100C	0.03	557-100CC	0.03	80
1" x 3/4"	32 x 25	35.0	26.0	38.0	557-100D	0.02	557-100CD	0.02	80
1-1/4" x 1/2"	40 x 20	40.0	23.0	46.0	557-114C	0.05	557-114CC	0.06	50
1-1/4" x 3/4"	40 x 25	40.0	26.0	46.0	557-114D	0.05	557-114CD	0.06	50
1-1/4" x 1"	40 x 32	40.0	29.0	46.0	557-114E	0.04	557-114CE	0.04	50
1-1/2" x 1/2"	50 x 20	43.0	23.0	53.0	557-112C	0.07	557-112CC	0.07	50
1-1/2" x 3/4"	50 x 25	43.0	26.0	53.0	557-112D	0.07	557-112CD	0.08	50
1-1/2" x 1"	50 x 32	43.0	29.0	53.0	557-112E	0.06	557-112CE	0.06	50
1-1/2" x 1-1/4"	50 x 40	43.0	32.0	53.0	557-112F	0.03	557-112CF	0.04	50
2" x 1/2"	63 x 20	50.0	23.0	66.0	557-200C	0.12	557-200CC	0.14	30
2" x 3/4"	63 x 25	50.0	26.0	66.0	557-200D	0.12	557-200CD	0.14	30
2" x 1"	63 x 32	50.0	29.0	66.0	557-200E	0.12	557-200CE	0.14	30
2" x 1-1/4"	63 x 40	50.0	32.0	66.0	557-200F	0.11	557-200CF	0.12	30
2" x 1-1/2"	63 x 50	50.0	35.0	66.0	557-200G	0.09	557-200CG	0.11	30
2-1/2" x 1-1/2"	75 x 50	55.0	35.0	78.0	557-212G	0.17	557-212CG	0.19	20
2-1/2" x 2"	75 x 63	55.0	39.0	78.0	557-212H	0.13	557-212CH	0.14	20
3" x 1"	90 x 32	58.0	29.0	94.0	557-300E	0.25	557-300CE	0.28	20
3" x 1-1/2"	90 x 50	58.0	35.0	94.0	557-300G	0.27	557-300CG	0.30	20
3" x 2"	90 x 63	58.0	39.0	94.0	557-300H	0.25	557-300CH	0.28	20
3" x 2-1/2"	90 x 75	58.0	45.0	94.0	557-300I	0.18	557-300CI	0.21	20
4" x 1"	110 x 32	70.0	29.0	120	557-400E	0.57	557-400CE	0.63	20
4" x 1-1/4"	110 x 40	70.0	32.0	120	557-400F	0.63	557-400CF	0.70	12
4" x 1-1/2"	110 x 50	70.0	35.0	120	557-400G	0.62	557-400CG	0.70	12
4" x 2"	110 x 63	70.0	39.0	120	557-400H	0.48	557-400CH	0.54	12
4" x 2-1/2"	110 x 75	70.0	45.0	120	557-400I	0.44	557-400CI	0.49	12
4" x 3"	110 x 90	70.0	48.0	120	557-400J	0.37	557-400CJ	0.41	12
6" x 4"	160 x 110	92.0	58.0	175	557-600L	1.31	557-600CL	1.46	6
8" x 4"	200 225 x 110	120	58.0	230	557-800L	2.29	557-800CL	2.55	3

Combination Chart of Reducing Bushing


#: Bushing without Bushing #B: With 1 additional Bushing #BB: With 2 additional Bushing

		Bushing													
		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Bushing	1/2"														
	3/4"	#													
	1"	#	#												
	1-1/4"	#	#	#											
	1-1/2"	#	#	#	#										
	2"	#	#	#	#	#									
	2-1/2"	#B	#B	#B	#B	#	#								
	3"	#B	#B	#	#B	#	#	#							
	4"	#B	#B	#	#	#	#	#	#						
	5"	#BB	#BB	#B	#B	#B	#B	#B	#B	#					
	6"	#BB	#BB	#B	#B	#B	#B	#B	#	#	#				
	8"	#BB	#BB	#B	#B	#B	#B	#B	#B	#	#B	#			
	10"			#BB	#BB	#BB	#BB	#BB	#BB	#B	#B	#	#		
12"			#BB	#BB	#BB	#BB	#BB	#BB	#B	#B	#	#	#		

LD-558 Male Thread Bushing with Socket

Buje de Reducción Rosca Macho con Encolar

Male Thread X Socket
Rosca Macho X Encolar




Unit / mm-kg

ASTM	DIN	mm			Weight (kg/pc)				Pcs/Ctn
Inch	d x d1(mm)	A	A1	B	Part Number	PVC	Part Number	CPVC	
3/4" x 1/2"	25 x 20	32.0	23.0	30.0	558-034C	0.02	558-034CC	0.02	150
1" x 1/2"	32 x 20	35.0	23.0	38.0	558-100C	0.03	558-100CC	0.03	80
1" x 3/4"	32 x 25	35.0	26.0	38.0	558-100D	0.02	558-100CD	0.03	80
1-1/4" x 1/2"	40 x 20	40.0	23.0	46.0	558-114C	0.06	558-114CC	0.07	50
1-1/4" x 3/4"	40 x 25	40.0	26.0	46.0	558-114D	0.06	558-114CD	0.06	50
1-1/4" x 1"	40 x 32	40.0	29.0	46.0	558-114E	0.04	558-114CE	0.04	50
1-1/2" x 1/2"	50 x 20	43.0	23.0	53.0	558-112C	0.08	558-112CC	0.08	50
1-1/2" x 3/4"	50 x 25	43.0	26.0	53.0	558-112D	0.08	558-112CD	0.09	50
1-1/2" x 1"	50 x 32	43.0	29.0	53.0	558-112E	0.07	558-112CE	0.07	50
1-1/2" x 1-1/4"	50 x 40	43.0	32.0	53.0	558-112F	0.03	558-112CF	0.04	50
2" x 1/2"	63 x 20	50.0	23.0	66.0	558-200C	0.12	558-200CC	0.14	30
2" x 3/4"	63 x 25	50.0	26.0	66.0	558-200D	0.13	558-200CD	0.14	30
2" x 1"	63 x 32	50.0	29.0	66.0	558-200E	0.13	558-200CE	0.14	30
2" x 1-1/4"	63 x 40	50.0	32.0	66.0	558-200F	0.11	558-200CF	0.12	30
2" x 1-1/2"	63 x 50	50.0	35.0	66.0	558-200G	0.10	558-200CG	0.11	30
2-1/2" x 1-1/2"	75 x 50	55.0	35.0	78.0	558-212G	0.18	558-212CG	0.20	20
2-1/2" x 2"	75 x 63	55.0	39.0	78.0	558-212H	0.13	558-212CH	0.14	20
3" x 1"	90 x 32	58.0	29.0	94.0	558-300E	0.26	558-300CE	0.30	20
3" x 1-1/2"	90 x 50	58.0	35.0	94.0	558-300G	0.29	558-300CG	0.32	20
3" x 2"	90 x 63	58.0	39.0	94.0	558-300H	0.26	558-300CH	0.30	20
3" x 2-1/2"	90 x 75	58.0	45.0	94.0	558-300I	0.19	558-300CI	0.22	20
4" x 1"	110 x 32	70.0	29.0	120	558-400E	0.60	558-400CE	0.66	12
4" x 1-1/4"	110 x 40	70.0	32.0	120	558-400F	0.66	558-400CF	0.74	12
4" x 1-1/2"	110 x 50	70.0	35.0	120	558-400G	0.65	558-400CG	0.74	12
4" x 2"	110 x 63	70.0	39.0	120	558-400H	0.51	558-400CH	0.56	12
4" x 2-1/2"	110 x 75	70.0	45.0	120	558-400I	0.46	558-400CI	0.52	12
4" x 3"	110 x 90	70.0	48.0	120	558-400J	0.39	558-400CJ	0.43	12

LD-559 Male Thread Bushing with Female Thread Buje de Reducción Rosca Macho con Rosca Hembra

Male Thread X Female Thread
Rosca Macho X Rosca Hembra



Unit / mm-kg

ASTM	DIN	mm			Weight (kg/pc)				Pcs/Ctn
		A	A1	B	Part Number	PVC	Part Number	CPVC	
3/4" x 1/2"	25 x 20	32.0	23.0	30.0	559-034C	0.02	559-034CC	0.02	150
1" x 1/2"	32 x 20	35.0	23.0	38.0	559-100C	0.03	559-100CC	0.03	80
1" x 3/4"	32 x 25	35.0	26.0	38.0	559-100D	0.02	559-100CD	0.03	80
1-1/4" x 1/2"	40 x 20	40.0	23.0	46.0	559-114C	0.06	559-114CC	0.07	50
1-1/4" x 3/4"	40 x 25	40.0	26.0	46.0	559-114D	0.06	559-114CD	0.06	50
1-1/4" x 1"	40 x 32	40.0	29.0	46.0	559-114E	0.05	559-114CE	0.05	50
1-1/2" x 1/2"	50 x 20	43.0	23.0	53.0	559-112C	0.08	559-112CC	0.08	50
1-1/2" x 3/4"	50 x 25	43.0	26.0	53.0	559-112D	0.08	559-112CD	0.09	50
1-1/2" x 1"	50 x 32	43.0	29.0	53.0	559-112E	0.07	559-112CE	0.07	50
1-1/2" x 1-1/4"	50 x 40	43.0	32.0	53.0	559-112F	0.03	559-112CF	0.05	50
2" x 1/2"	63 x 20	50.0	23.0	66.0	559-200C	0.13	559-200CC	0.15	30
2" x 3/4"	63 x 25	50.0	26.0	66.0	559-200D	0.13	559-200CD	0.15	30
2" x 1"	63 x 32	50.0	29.0	66.0	559-200E	0.14	559-200CE	0.15	30
2" x 1-1/4"	63 x 40	50.0	32.0	66.0	559-200F	0.12	559-200CF	0.13	30
2" x 1-1/2"	63 x 50	50.0	35.0	66.0	559-200G	0.10	559-200CG	0.12	30
2-1/2" x 1-1/2"	75 x 50	55.0	35.0	78.0	559-212G	0.19	559-212CG	0.21	20
2-1/2" x 2"	75 x 63	55.0	39.0	78.0	559-212H	0.14	559-212CH	0.15	20
3" x 1"	90 x 32	58.0	29.0	94.0	559-300E	0.28	559-300CE	0.31	20
3" x 1-1/2"	90 x 50	58.0	35.0	94.0	559-300G	0.30	559-300CG	0.34	20
3" x 2"	90 x 63	58.0	39.0	94.0	559-300H	0.28	559-300CH	0.31	20
3" x 2-1/2"	90 x 75	58.0	45.0	94.0	559-300I	0.20	559-300CI	0.23	20
4" x 1"	110 x 32	70.0	29.0	120	559-400E	0.62	559-400CE	0.69	12
4" x 1-1/4"	110 x 40	70.0	32.0	120	559-400F	0.69	559-400CF	0.78	12
4" x 1-1/2"	110 x 50	70.0	35.0	120	559-400G	0.68	559-400CG	0.78	12
4" x 2"	110 x 63	70.0	39.0	120	559-400H	0.53	559-400CH	0.59	12
4" x 2-1/2"	110 x 75	70.0	45.0	120	559-400I	0.49	559-400CI	0.54	12
4" x 3"	110 x 90	70.0	48.0	120	559-400J	0.41	559-400CJ	0.45	12